

## **Quellenangaben zum Merkblatt HIV-Test für Schwangere**

Chou R, Smits AK, Huffman LH, Fu R, Korthuis PT, US Preventive Services Task Force. Prenatal screening for HIV: A review of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2005; 143: 38-54. <http://www.ncbi.nlm.nih.gov/pubmed/15998754>

Chou R, Cantor A, Bougatsos C, Zakher B. Screening for HIV in pregnant women: systematic review to update the U.S. Preventive Services Task Force Recommendation. Rockville: Agency for Healthcare Research and Quality; 2012. URL: <http://www.ncbi.nlm.nih.gov/books/NBK114880/pdf/TOC.pdf>.

Coutsoudis A, Dabis F, Fawzi W, Gaillard P et al. Late postnatal transmission of HIV-1 in breast-fed children: an individual patient data meta-analysis. *J Infect Dis* 2004; 189: 2154-2166. <http://www.ncbi.nlm.nih.gov/pubmed/15181561>

Deutsche AIDS-Gesellschaft (DAIG) u.a. S2k-Leitlinie: Deutsch-Österreichische Leitlinie zur HIV-Therapie in der Schwangerschaft und bei HIV-exponierten Neugeborenen. September 2011. <http://www.awmf.org/leitlinien/detail/II/055-002.html>

Forbes JC, Alimenti AM, Singer J, Brophy JC, Bitnun A, Samson LM et al. A national review of vertical HIV transmission. *AIDS* 2012; 26(6): 757-763. <http://www.ncbi.nlm.nih.gov/pubmed/22210635>

Horvath T, Madi BC, Iuppa IM, Kennedy GE, Rutherford G, Read JS. Interventions for preventing late postnatal mother-to-child transmission of HIV. *Cochrane Database Sys Rev* 2009; (1): CD006734. <http://www.ncbi.nlm.nih.gov/pubmed/19160297>

Read JS, Newell M-L. Efficacy and safety of cesarean delivery for prevention of mother-to-child transmission of HIV-1. *Cochrane Database Sys Rev* 2005; (4): CD005479. <http://www.ncbi.nlm.nih.gov/pubmed/16235405>

Robert Koch Institut (RKI). RKI-Ratgeber für Ärzte. Dezember 2013. [http://www.rki.de/DE/Content/Infekt/EpidBull/Merkblaetter/Ratgeber\\_HIV\\_AIDS.html?nn=2374210](http://www.rki.de/DE/Content/Infekt/EpidBull/Merkblaetter/Ratgeber_HIV_AIDS.html?nn=2374210)

Siegfried N, van der Merwe L, Brocklehurst P, Sint TT. Antiretrovirals for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane Database Sys Rev* 2011; (7): CD003510. <http://www.ncbi.nlm.nih.gov/pubmed/21735394>

Sturt AS, Dokubo EK, Sint TT. Antiretroviral therapy (ART) for treating HIV infection in ART-eligible pregnant women. *Cochrane Database Sys Rev* 2010; (3): CD008440. <http://www.ncbi.nlm.nih.gov/pubmed/20238370>

World Health Organization (WHO) 2010: ANTIRETROVIRAL drugs for treating pregnant women and preventing HIV infection in infants. Recommendations for a public health approach - 2010 Version. HIV/Aids Programme; Strengthening health service to fight HIV/AIDS) [http://whqlibdoc.who.int/publications/2010/9789241599818\\_eng.pdf](http://whqlibdoc.who.int/publications/2010/9789241599818_eng.pdf)